





SAFETY DATA SHEET

According to 1907/2006, EC Article 31

SECTION 1: IDENTIFICATION	
<b>Product Identifiers</b>	
Name	FastFix Wet Shield
<b>Company Details</b>	
Company	Evo Building Products
Address	Unit 5, 73 Beauchamp Road
	Banksmeadow
	NSW, 2019
	Australia
Telephone	02 9666 1069
Fax	02 9666 1870
Email	info@evobuild.com.au
<b>Recommended Use</b>	Emergency waterproofing membrane, solvent based
SECTION 2: HAZARDS IDENTIFICATION	
<b>Classification of Substance</b>	Flammable Liquid (Cat 3) Acute Toxicity - Oral (Cat 4) Chronic Aquatic Toxicity (Cat 4) Aspiration Hazard (Cat 1)
<b>Label Elements</b>	
<b>Hazard Statements</b>	H226 Flammable liquid H302 Harmful if swallowed H319 Causes serious eye irritation H362 May cause harm to breast-fed children H304 May be harmful if swallowed and enters airways H413 May cause long lasting harmful effects to aquatic life
<b>Precautionary Statements</b>	P210 Keep away from heat/sparks/open flames/ hot surfaces. No smoking P233 Keep container tightly closed P264 Wash hands thoroughly after handling P270 Do not eat, drink or smoke when using this product P280/1 Use eye/face protection. Use other PPE as required P331 Do NOT induce vomiting  Store in a well ventilated place, keep cool If SWALLOWED/IN EYES: immediately call a POISON CENTRE or doctor/physician
<b>Classification 1999/45/EC</b>	Xn:R65, N: R51/53, R10-64 Xn: Harmful, N: Dangerous for the environment

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS					
Chemical Name	Index #	CAS #	EC #	Conc. (%w/w)	Classification
Chlorinated Parrafin (C14-C17)		85535-85-9	287-477-0	1-10%	N; R50/53;R64:R66
Hydrocarbons C9			918-668-5	10-20%	Xn; R65 Xi; R37 N; R51/53
1,3,4 Trimethylbenzene	601-025-00-5	108-67-8	203.604-4	1-10%	R10 Xi; R37 N; R51/53
Quaternary Ammonium Salt		61789-73-9	263-082-9	0-0.5%	Xn; R22 Xi; R38-41 N; R50; R10
Cumene	601-024-00-X	98-82-8	202-704-5	0-0.5%	R10 Xn; R65 Xi; R37 N; R51/53
Methoxypropyl Acetate	607-251-00-0	70657-70-4	274-724-2	0-0.5%	R10 Repr. Cat. 2; R61 Xi; R37
SECTION 4: FIRST AID MEASURES					
<b>Inhalation</b>	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. Move the exposed person to fresh air. Seek medical attention.				
<b>Eye Contact</b>	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation symptoms persist.				
<b>Skin Contact</b>	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation symptoms persist.				
<b>Ingestion</b>	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.				
SECTION 5: FIRE FIGHTING MEASURES					
<b>Extinguishing Media</b>	Carbon oxides				
<b>Special Hazards</b>	Burning produces irritating, toxic and obnoxious fumes				
<b>PPE and Firefighters</b>	Use self-contained breathing apparatus. Wear protective clothing				
SECTION 6: ACCIDENTAL RELEASE MEASURES					
<b>Personal Precautions, Protective Equipment and Emergency Procedures</b>	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all sources of ignition. Evacuate personnel to a safe area				
<b>Environmental Precautions</b>	Do not allow product to enter drains. Prevent further spillage if safe				
<b>Methods for materials for containment and clearing up</b>	Absorb with inert, absorbent material. Sweep up. Transfer to suitable labelled containers for disposal. Clean spillage area thoroughly with plenty of water				
SECTION 7: HANDLING AND STORAGE					
<b>Precautions for safe handling</b>	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition. No smoking.				
<b>Conditions for safe storage</b>	Keep in a cool, dry, well ventilated area Keep containers tightly closed. Store in correctly labelled containers.				
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION					
<b>Control Parameters</b>					
<b>Exposure Limit Values</b>					
1,3,5 Trimethylbenzene	DIR: 2009/39 8hTWA mg/m3: 100 STEL mg/m3: -		8hTWA ppm: 20 STEL PPM: - NOT: -		
Cumene	WEL 8hr limit ppm:25 WEL 15min limit ppm:50		WEL 8hr limit mg/m3:125 WEL 15min limit mg/m3: 250		
<b>Exposure Controls</b>					
<b>Appropriate Engineering Controls</b>	Adequate ventilation of the working areas				
<b>Individual measures</b>	Wear chemical protective clothing				

<b>Eye/face protection</b>	Approved safety goggles		
<b>Skin protection</b>	Chemical resistant gloves (PVC)		
<b>Respiratory protection</b>	Wear suitable respiratory equipment when necessary		
<b>SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES</b>			
<b>Information on basic physical and chemical properties</b>			
<b>State</b>	Liquid		
<b>Colour</b>	Grey		
<b>Odour</b>	145-181		
<b>Boiling Point</b>	35		
<b>SECTION 10: STABILITY AND REACTIVITY</b>			
<b>Chemical Stability</b>	Stable under normal conditions		
<b>Reactivity</b>	No information available		
<b>Possibility of hazardous reactions</b>	Oxidising agents		
<b>Conditions to avoid</b>	Heat, sparks, and open flames		
<b>Incompatible materials</b>	No information available		
<b>SECTION 11: TOXICOLOGICAL INFORMATION</b>			
<b>Acute Toxicity</b>	Harmful if swallowed or inhaled		
<b>Skin corrosion</b>	Can cause skin irritation		
<b>Serious eye damage</b>	Can cause serious eye irritation		
<b>Respiratory of skin sensitisation</b>	Dangerous if inhaled, seek immediate medical advice		
<b>Germ cell mutagenicity</b>	No information available		
<b>Carcinogenicity</b>	No information available		
<b>Reproductive toxicity</b>	May cause harm to breast-fed babies		
<b>STOT – Single exposure</b>	No information available		
<b>STOT – repeat exposure</b>	No information available		
<b>Aspiration hazard</b>	No information available		
<b>SECTION 12: ECOLOGICAL INFORMATION</b>			
<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment		
<b>SECTION 13: DISPOSAL CONSIDERATIONS</b>			
Dispose of in compliance with all local and national regulations. Wear suitable protective equipment.			
<b>SECTION 14: TRANSPORT INFORMATION</b>			
<b>Hazard Pictograms</b>			
<b>UN Number</b>	UN1263		
<b>UN Proper Shipping Name</b>	Paint		
<b>Transport Hazard Classes</b>			
<b>ADR/RID</b>	3	Subsidiary Risk	-
<b>IMDG</b>	3	Subsidiary Risk	-
<b>IATA</b>	3	Subsidiary Risk	-
<b>Packing Group</b>	III		
<b>Environmental Hazards</b>			

<b>Environmental hazards</b>	No
<b>Marine pollutant</b>	No
<b>ADR/RID</b>	
<b>Hazard ID</b>	30
<b>Tunnel Category</b>	D/E
<b>IMDG</b>	
<b>EmS Code</b>	F-E-S-E
<b>IATA</b>	
<b>Packing instruction (cargo)</b>	366
<b>Maximum Quantity</b>	220 L
<b>Packing Instruction (Passenger)</b>	355
<b>Maximum Quantity</b>	60 L
<b>Special Precautions</b>	Always store and ship top side up
<b>SECTION 15: REGULATORY INFORMATION</b>	
<b>Symbols</b>	The product is classified in accordance with 67/548/EEC Xn: Harmful, N: Dangerous for the environment 
<b>Risk Phrases</b>	R10 – Flammable R51/53 – Toxic to aquatic organisms, may cause long-term effects in the aquatic environment R64 – May cause harm to breastfed babies R65 – Harmful: may cause lung damage if swallowed
<b>Safety Phrases</b>	S29 – Do not empty into drains S62 – If swallowed, do not induce vomiting, seek medical advice immediately and show this container or label
<b>SECTION 16: OTHER INFORMATION</b>	
<b>Revision Date</b>	27 March 2019
<b>Revisions</b>	This document differs from the previous version to make it compliant with the new GHS guidelines
The information supplied in the safety data sheet is designed only as guidance for the safe use, storage, and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	